



**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A chemically amplified photosensitive resin composition comprising (A) an alkali-soluble novolak resin, (B) a resin or compound which in itself is insoluble or slightly soluble in alkali, but becomes soluble in alkali by the action of an acid, (C) an acid generating agent and (D) a photosensitizing agent containing a quinonediazide group, wherein said resin or compound which is itself insoluble or slightly soluble in alkali, but becomes soluble in alkali by the action of an acid has a structural unit represented by the general formula (I):



wherein R represents a saturated alkyl group having 1 to 20 carbon atoms and n is an integer from 1 to 10, said structural unit represented by the general formula (I) obtained by reacting RCHO, RCH(OH)<sub>2</sub>, or RCH(OR<sup>1</sup>)<sub>2</sub>, wherein R is defined above, and R<sup>1</sup> represents an alkyl group, with



wherein n is defined above.

2. (canceled)

3. (previously presented) A chemically amplified photosensitive resin composition according to Claim 1, which further comprises (E) an alkali-soluble acrylic resin.

4. (original) A chemically amplified photosensitive resin composition according to Claim 3, wherein said alkali-soluble acrylic resin contains a structural unit derived from a (meth)acrylic acid, a structural unit derived from an alkylmethacrylate and, as required, a structural unit derived from styrene.

5. (previously presented) A chemically amplified photosensitive resin composition according to Claim 3, wherein said alkali-soluble acrylic resin contains a structural unit derived from a hydroxyalkylmethacrylate, a structural unit derived from an alkylmethacrylate and, as required, a structural unit derived from styrene.

6. (previously presented) A chemically amplified photosensitive resin composition according to Claim 1, which further comprises (F) a compound containing at least two vinyloxyalkylester groups.

7. (previously presented) A chemically amplified photosensitive resin composition according to Claim 1, wherein the ratio by weight of said components (A) : (B) : (C) : (D) : (E) : (F) is 100 : 1 to 50 : 0.02 to 10 : 1 to 30 : 0 to 200 : 0 to 30.

8. (previously presented) A chemically amplified photosensitive resin composition according Claim 1, the composition being used in a layer thickness of 10  $\mu\text{m}$  or more.

9. (canceled)

10. (canceled)

11. (previously presented) A chemically amplified photosensitive resin composition according to Claim 4, wherein said alkali-soluble acrylic resin contains a structural unit derived from a hydroxyalkylmethacrylate, a structural unit derived from an alkylmethacrylate and, as required, a structural unit derived from styrene.

12. (canceled)

13. (previously presented) A chemically amplified photosensitive resin composition according to Claim 3, which further comprises (F) a compound containing at least two vinyloxyalkylester groups.

14. (previously presented) A chemically amplified photosensitive resin composition according to Claim 4, which further comprises (F) a compound containing at least two vinyloxyalkylester groups.

15. (previously presented) A chemically amplified photosensitive resin composition according to Claim 5, which further comprises (F) a compound containing at least two vinyloxyalkylester groups.

16. (canceled)

17. (previously presented) A chemically amplified photosensitive resin composition according to Claim 3, wherein the ratio by weight of said components (A) : (B) : (C) : (D) : (E) : (F) is 100 : 1 to 50 : 0.02 to 10 : 1 to 30 : 0 to 200 : 0 to 30.

18. (previously presented) A chemically amplified photosensitive resin composition according to Claim 4, wherein the ratio by weight of said components (A) : (B) : (C) : (D) : (E) : (F) is 100 : 1 to 50 : 0.02 to 10 : 1 to 30 : 0 to 200 : 0 to 30.

19. (previously presented) A chemically amplified photosensitive resin composition according to Claim 5, wherein the ratio by weight of said components (A) : (B) : (C) : (D) : (E) : (F) is 100 : 1 to 50 : 0.02 to 10 : 1 to 30 : 0 to 200 : 0 to 30.

20. (previously presented) A chemically amplified photosensitive resin composition according to Claim 6, wherein the ratio by weight of said components (A) : (B) : (C) : (D) : (E) : (F) is 100 : 1 to 50 : 0.02 to 10 : 1 to 30 : 0 to 200 : 0 to 30.